Strand Splice

Weight: 0.00kg
Dimensions: 0.00cm x 0.00cm x 0.00cm

Description

Strand Splices are intended for use on guys or messengers.

Features

• Rated for 100% of the strands published rated breaking strength unless otherwise noted.
• Made of the same basic material as the strand to which they are applied.

Documentation

Application Procedures

SP-2033 (Strand Splice)

Catalog Pages

Strand Splice - Energy Catalog

Strand Splice - Communications Catalog

Part Tables

Galvanized Steel			
For use on: Extra High Strength, High Strength, Siemens Martin, Utilities Grade			
Catalog Number	Strand		Color Code
	Size (in)	Actual Diameter (in)	
GLS-2102	3/16	.195 .186	Red
GLS-2103	7/32	.216	Green
GLS-2104	1/4	.259 .240	Yellow
GLS-2105	9/32	.279	Blue
GLS-2106	5/16	.312 .327	Black
GLS-2107	3/8	.356 .360	Orange

GLS-2108	7/16	.435	Green
GLS-2109	1/2	.495 .500	Blue
GLS-2110	9/16	.564 .565	Yellow

Mischmetal Alloy (AL/ZN)			
For use on: Mischmetal Alloy Strand			
Catalog Number	Strand		Color Code
	Size (in)	Mean Diameter (in)	
BLS-9102	3/16	.186	Red
BLS-9104	1/4	.240	Yellow
BLS-9106	5/16	.312	Black
BLS-9107	3/8	.360	Orange
BLS-9108	7/16	.435	Green
BLS-9109	1/2	.495	Blue

Aluminum Clad Steel			
For use on: Aluminum Clad Steel			
Catalog Number	Strand		Color Code
	Size	Mean Diameter (in)	
AWLS-4102	3#12	.174	Orange
AWLS-4108	4M 3#10	.220 .220	Green
AWLS-4110	3#9 6M 1/4"	.247 .242 .242	Yellow
AWLS-4113	3#8 9/32" 8M	.277 .272 .272	Blue
AWLS-4116	3#7 10M 5/16"-7#10	.311 .306 .306	Black
AWLS-4119	3#6	.349	Yellow

	12.5M 11/32"-7#9	.343 .343	
AWLS-4120	14M	.363	Blue
AWLS-4122	3#5 3/8"-7#8 16M	.392 .385 .386	Orange
AWLS-4124	18M	.417	Black
AWLS-4125	7/16"-7#7	.433	Green
AWLS-4126	20M	.444	Yellow

Copperweld®			
For use on: Copperweld Strand			
Catalog Number	Strand		Color Code
	Size	Mean Diameter (in)	
CLS-8100	2.2M	.164	Orange
CLS-8102	3#12	.174	Red
CLS-8106	4M	.209	White
CLS-3101	3#10	.220	Green
CLS-3103	3#9 6M	.247 .237	Yellow
CLS-3104	6M3	.258	White
CLS-3106	8M 3#8	.276 .277	Blue
CLS-3109	10M 7#10, 5/16" 3#7	.303 .306 .311	Red
CLS-3112	7#9, 3/8" 16M 3#5	.343 .345 .349	Green
CLS-3113	14M	.360	Blue
CLS-3115	7#8, 3/8" 12.5M 3#6	.385 .386 .392	White

CLS-3117	18M	.414	Orange
CLS-3118	20M 7#7, 7/16"	.438 .433	Yellow
CLS-3121	7#6, 1/2"	.486	Blue
CLS-3123	25M	.525	Green
CLS-3124	7#5, 9/16"	.546	Yellow

Stainless Steel			
For use on: 302, 430, or 316 Stainless Steel Strand			
Catalog Number	Strand		Color Code
	Size (in)	Actual Diameter (in)	
For use on: Type 302 and 430 Strand			
SLS-5101	7/32, -3W -7W	.224 .216	Blue
SLS-5102	1/4, -3W -7W	.259 .249	Yellow
SLS-5103	9/32, -7W	.279	Black
SLS-5104	5/16, -7W	.312	Orange
SLS-5105	3/8, -3W 7W	.356 .360	Green
For use on: Type 430 Strand			
SLS-5106	7/16, -7W	.435	Red
SLS-5107	1/2, -7W	.495	Blue
For use on: Type 316 Strand			
SLS-6101	7/32, -3W 7W	.224 .216	Blue
SLS-6102	1/4, -3W -7W	.259 .249	Yellow
SLS-6103	9/32, -7W	.279	Black
SLS-6104	5/16, 7W	.312	Orange
SLS-6105	3/8, -3W -7W	.356 .360	Green