

Tree Guard

Weight: 0.00kg

Dimensions: 0.00cm x 0.00cm x 0.00cm

Description

Tree Guards are designed to protect bare conductors, fabric-covered or plastic-covered cables and fiber optic cables against mechanical abrasion caused by tree limbs or other obstructions.

Features

- Fast, easy installation without disconnecting the wire
- Made out of high-impact polyethylene
 - Strong abrasion resistance
 - Strong weathering endurance
 - High dielectric properties

Documentation

Application Procedures

[SP-2076 \(Tree Guard\)](#)

Catalog Pages

[Tree Guard - Catalog](#)

Sales Materials

[Arborist & Vineyard brochure](#)

Part Tables

6 Ft. Length - PVC

For use on: All Cables and Conductors

Catalog Number	Diameter Range (Inches)		Units	Weight (Lbs.)	Length (Feet)	Wall Thickness (Inches)
	Min.	Max.	Per Carton			
PTG-0101	.238	.266	100	24	6	1/16
PTG-0104	.267	.296	100	26	6	1/16
PTG-0107	.297	.328	100	28	6	1/16
PTG-0110	.329	.358	100	30	6	1/16
PTG-0113	.359	.389	100	32	6	1/16
PTG-0116	.390	.421	100	34	6	1/16
PTG-0119	.422	.453	100	36	6	1/16
PTG-0122	.454	.478	75	30	6	1/16
PTG-0125	.479	.511	75	32	6	1/16
PTG-0128	.512	.542	75	32	6	1/16
PTG-0131	.543	.568	75	44	6	5/64
PTG-0134	.569	.598	75	46	6	5/64
PTG-0137	.599	.641	75	48	6	5/64
PTG-0140	.642	.706	75	52	6	5/64
PTG-0143	.707	.762	50	46	6	3/32
PTG-0146	.763	.820	50	48	6	3/32
PTG-0149	.821	.882	50	52	6	3/32
PTG-0152	.883	.947	50	56	6	3/32
PTG-0155	.948	1.010	50	58	6	3/32
PTG-0158	1.011	1.074	50	62	6	3/32
PTG-0161	1.075	1.131	25	66	6	3/32
PTG-0164	1.132	1.194	25	36	6	3/32
PTG-0167	1.195	1.255	25	36	6	3/32
PTG-0170	1.256	1.328	25	38	6	3/32
PTG-0173	1.329	1.450	25	42	6	3/32
PTG-0176	1.451	1.578	25	46	6	3/32
PTG-0179	1.579	1.705	10	48	6	3/32
PTG-0182	1.706	1.832	10	50	6	3/32

3 Ft. Length - PVC

For use on: All Cables and Conductors

Catalog Number	Diameter Range (Inches)		Units	Weight (Lbs.)	Length (Feet)	Wall Thickness (Inches)
	Min.	Max.	Per Carton			
PTG-0100	.238	.266	100	12	3	1/16
PTG-0103	.267	.296	100	14	3	1/16
PTG-0106	.297	.328	100	15	3	1/16
PTG-0109	.329	.358	100	16	3	1/16
PTG-0112	.359	.389	100	18	3	1/16
PTG-0115	.390	.421	100	18	3	1/16
PTG-0118	.422	.453	100	20	3	1/16
PTG-0121	.454	.478	100	20	3	1/16
PTG-0124	.479	.511	100	22	3	1/16
PTG-0127	.512	.542	100	24	3	1/16
PTG-0130	.543	.568	100	30	3	5/64
PTG-0133	.569	.598	100	30	3	5/64
PTG-0136	.599	.641	100	32	3	5/64
PTG-0139	.642	.706	100	34	3	5/64
PTG-0142	.707	.762	100	46	3	3/32
PTG-0145	.763	.820	100	50	3	3/32
PTG-0148	.821	.882	100	52	3	3/32
PTG-0151	.883	.947	100	56	3	3/32
PTG-0154	.948	1.010	100	58	3	3/32

6 Ft & 8 Ft. Lengths - Polyethylene

For use on: All Cables and Conductors

Catalog Number	Length	Inside Diameter (Inches)	Diameter Range (Inches)		Units	Wt./Lbs.
			Min.	Max.	Per Carton	
PTG-0200	8 in.	.5	.238	.500	1,000	35
PTG-0201	6 ft.		.238	.500	150	46
PTG-0202	8 in.	1	.501	1.00	500	34
PTG-0203	6 ft.		.501	1.00	60	39
PTG-0204	8 in.	1.5	1.01	1.50	250	30
PTG-0205	6 ft.		1.01	1.50	25	25
PTG-0206	8 in.	2	1.51	2.00	175	25
PTG-0207	6 ft.		1.51	2.00	20	26
PTG-0208	6 ft.	3	2.01	3.00	12	25